

REINTEC  
SERVICE GUIDE

reintec  
cleaning equipment services  
PART OF **HSS Hire**

**FLEXIBLE CLEANING  
EQUIPMENT PLANS**

**REAL TIME ONLINE  
MANAGEMENT**

**SALES, SERVICE AND  
MAINTENANCE**

**2015**



# YOU'RE BETTER EQUIPPED WITH CLEANING EQUIPMENT FROM REINTEC

We know that you've got better things to do than worry about your cleaning equipment so Reintec offers you a solution that will make life a whole lot easier. It's all about thinking just a bit differently.

Instead of having to buy a whole fleet of cleaning equipment, Reintec provides you with a flexible equipment plan that's right for your business. We'll also manage and maintain it all for you too – helping you to save time and money whilst guaranteeing compliance and freeing you up to look after your customers. And we'll even give you access to an online system to help you manage all of this equipment in real-time. It's like owning your own kit but without any of the hassle.

Reintec is serviced using a dedicated, bespoke range of equipment that takes the best of European cleaning engineering performance and enhances it. Designed to be robust, energy efficient and operator and environmentally friendly, our comprehensive range includes scrubber dryers, rotary polishers, vacuum cleaners, carpet cleaners, sweepers and escalator cleaners that all deliver outstanding cleaning results.

Even if you're using your own equipment, our technical engineers are still here to help.

And as part of the HSS Hire group, Reintec can offer an even more complete service with a wide range of tools, equipment and training suitable for every task.

We're here to help you keep your cleaning equipment cleaning.

We look forward to working with you.

**Paul Lewis**  
**Managing Director**



# CONTENTS

Save Time, Save Money,  
Guarantee Compliance

The Reintec Solution pages 4-9



Vacuum Cleaners  
Pages 12-13



Steam Cleaners  
Page 14-15



Carpet Cleaners  
Page 16



Escalator Cleaner  
Page 17



Scrubber Dryers  
Pages 20-23



Sweepers  
Pages 24-25



Single Disc Machines  
Pages 26-28



Consumables  
Page 29



Tecserv  
Page 30



Countrywide  
Coverage Page 31



# SAVE TIME

Managing cleaning equipment takes time, and time is valuable. Facilities Managers and Cleaning Contractors we spoke to told us they can easily spend up to a day a week managing equipment and equipment related issues. Reintec gives you that time back so that you can focus on keeping your customers happy.

Mobilising kit is quick and easy so you'll always have the kit you need, when and where you need it. You won't have to spend time checking or arranging maintenance because we simply swap out any equipment that needs servicing or repair, so your workforce won't be left waiting around.

With our 24 hour helpdesk, an online management system that gives you complete control of your equipment fleet and hire account from your desktop and an app for asset checking on the go, equipment management can be a whole lot quicker and easier.

# SAVE TIME



# SAVE MONEY

Reintec can help you to control and reduce what you spend on cleaning equipment. There's no capital outlay and you can flex your equipment fleet up or down according to what you need.

It makes your costs variable rather than fixed, and you only pay for what you're using when you're using it. And there is no worry about unnecessary storage or maintenance costs.

Our rates are competitive and we guarantee no hidden charges so you always know exactly what you're getting for your money. Our online equipment management system helps you manage your cleaning fleet with total transparency so you can control where every penny goes.

And, because your cleaning equipment costs money every second it isn't cleaning, Reintec helps to keep you working in the event of scheduled servicing or equipment failure by swapping out or fixing kit to keep downtime to an absolute minimum. Even if you're using your own equipment, our team of technical engineers are renowned for their first-fix rates, so your equipment will keep doing what it's supposed to do.

SAVE  
MONEY



# GUARANTEE COMPLIANCE

Our research showed that a third of Facilities Managers and Cleaning Contractors are worried about prosecution for non-compliance. By choosing Reintec you can put your mind at ease because we'll make sure that all the equipment your operators use is fully tested, safe and ready to use.

From the start, we only supply the best. Our equipment is designed and built to the highest standards to ensure operator safety and comfort. We guarantee compliance on all H&S, technical and PAT testing obligations, swapping out any equipment while it's being tested to ensure you can keep working. We also make it easy for you to prove compliance with an online management system that stores all your service records.

But it's not just about delivering equipment that's safe to use. It's also about making sure that it's used safely too. Reintec is supported by HSS Training to help get your operators up to speed with equipment 'know-how' and the safest working practices.

With Safe-Hire accreditation, OHSAS18001 and a 4 star British Safety Council award, we're proud of our reputation for safety and we work closely with ROSPA and the HSE to champion safety and best practice.

GUARANTEE  
COMPLIANCE



# REINTEC CLEANING EQUIPMENT

Reintec is proud to supply an exclusive range of cleaning equipment that takes the very best of European cleaning engineering performance and enhances it.

Designed to be robust, energy efficient and operator friendly, our broad range focuses on performing every cleaning role. Our kit is suitable for even the most demanding environments. When it comes to getting things clean, we've got everything you need to get the job done.

## Meet the Reintec range.



Vacuum  
Cleaners



Steam  
Cleaners



Carpet  
Cleaners



Sweepers



Escalator  
Cleaners




Scrubber  
Dryers



Single Disc  
Machines

Power Washers are also available.  
For further information and advice call the Reintec team.

# VACUUM CLEANERS



## Reintec VCT1

Tub Vacuum

The Reintec VCT1 is ideal for a wide range of applications including cleaning shops, offices and commercial premises, offering a lightweight, user-friendly and convenient vacuum cleaner with superb cleaning performance.

The large 17L recovery tank reduces emptying frequency and coupled with a powerful, high efficiency 1300 watt motor improves operative productivity. And the antibacterial filter eliminates bacteria, viruses, fungus and dust mites safely, quickly and effectively.

- Use with or without bags
- Large 17L recovery tank
- Anti-tip base
- Powerful 1300 watt motor
- Low noise level

Technical Data	VCT1
Air Flow Rate (m <sup>3</sup> /h)	210
Suction Hose (mm)	32
Total Tank Capacity (l)	17
Power Source	220-240v AC
Max Machine Power (kW)	1.3
Cable Length (m)	8.5
Suction Motor (kW)	0.44
Noise Level (Db)A	69
Dimensions L x W x H (mm)	410 x 380 x 490
Weight (kg)	6.74
Accessories	Can be used with or without bags



## Reintec VCW1

Standard Wet Vac

The Reintec VCW1 is a powerful, standard wet vac ideal for a wide range of environments including shopping centres, offices and commercial premises. It is a user-friendly and lightweight cleaner that can stand up to the most difficult wet or dry applications.

The 26L recovery tank keeps operator downtime to a minimum, whilst the powerful 1300 watt motor ensures high productivity and high quality cleaning performance. And the VCW1's antibacterial filtration helps to maintain cleaner, more sanitary facilities.

- Huge 26L recovery tank
- Anti-tip base
- Powerful 1300 watt motor
- Low noise level

Technical Data	VCW1
Air Flow Rate (m <sup>3</sup> /h)	200
Suction Hose (mm)	32
Total Tank Capacity (l)	26
Power Source	220-240v AC
Max Machine Power (kW)	1.3
Cable Length (m)	8.5
Water Lift (mm)	2380
Noise Level (Db)A	70
Dimensions L x W x H (mm)	410 x 380 x 620
Weight (kg)	7.75
Accessories	Integrated suction hose and wand



## Reintec VCU1

Standard Upright Vac

The Reintec VCU1 combines unrivalled build quality with superb cleaning performance. The brushing action agitates and picks up dirt from deep within the pile of your carpet. Its exceptional ergonomics, including a comfort grip handle, helps to reduce operator fatigue.

Incredibly user-friendly and lightweight, the VCU1 can clean difficult to reach areas such as under furniture thanks to its fantastic lay-flat cleaning system.

- High quality ABS casing
- Ideal for heavy-duty applications
- Lay-flat cleaning system
- High filtration reduces environmental pollution
- Unrivalled build quality & performance

Technical Data	VCU1
Air Flow Rate (m <sup>3</sup> /h)	210
Suction Width (mm)	45
Total Tank Capacity (l)	5 (with a dust-bag)
Power Source	230v AC
Max Machine Power (kW)	1.3
Cable Length (m)	10
Brush Motor (kW)	0.15
Noise Level (Db)A	68
Dimensions L x W x H (mm)	295 x 360 x 1250
Weight (kg)	8.0
Accessories	Integrated suction hose and wand



# STEAM CLEANERS

## Reintec SCV8bar

The EVO Steam & Vac is a high performance steam cleaner suitable for a range of environments where hygiene and germ control is of the upmost importance. From healthcare buildings, to catering and retail establishments, steam cleaning is an effective and gentle way to get a deep clean on a variety of surfaces without causing any damage.

With a 2.3 litre water tank capacity and 9 bars of steam pressure, the EVO Steam & Vac can offer deep, hygienic cleaning in a compact, easy to use unit.

- Robust design
- 9 bar steam pressure
- Chemical free cleaning



Technical Data	Evo Steam & Vac
Power Source (V)	240
Power Rating (KW)	3
Steam Pressure (Bar)	9
Boiler temperature (Degrees C)	180
Boiler Capacity (L)	3.4
Water Tank capacity (L)	2.3
Vacuum motor (KW)	1
Recovery Tank capacity (L)	5
Cable length (Metres)	4
Noise level (d B(A))	<45
Dimensions ( W X H ) (MM)	490 X 1050
Weight (Kg)	36

## Reintec SCV4bar

The Steam & Vac Pro is a compact, easy to manoeuvre steam cleaner, suitable for deep, steam cleaning in a variety of environments including hospitals, catering premises, food retail outlets and leisure facilities.

With a 3.4 litres water tank capacity and 3 bars of steam pressure, the Steam & Vac Pro is a compact, easy to manoeuvre unit, perfect for use in restricted, or hard to access areas.

- Compact design
- Easy to operate
- 3 bar steam pressure



Technical Data	Steam & Vac Pro
Power Source (V)	240
Power Rating (KW)	3
Steam Pressure (Bar)	5.5
Boiler temperature (Degrees C)	154
Boiler Capacity (L)	1.6
Water Tank capacity (L)	2.3
Vacuum motor (KW)	1
Recovery Tank capacity (L)	3
Cable length (Metres)	5
Noise level (d B(A))	<45
Dimensions ( W X H ) (MM)	590 X980
Weight (Kg)	22

# CARPET CLEANERS

## Reintec CCS1

Standard Spray Extraction Carpet Cleaner

The Reintec CCS1 is a high-performance spray extraction carpet cleaner, ideal for large areas such as offices, shop floors, hotels, commercial premises and healthcare environments.

The CCS1 is compact and easy to manoeuvre, with an anti-tip base and simple controls which minimise training requirements and ensure highly productive cleaning performance.

- **Lightweight, compact design**
- **Anti-tip base**
- **Exceptional performance**
- **Simple controls**

Technical Data	CCS1
Air Flow Rate (m <sup>3</sup> /h)	210
Pump Power (w)	48
Flow Rate (L/m)	0.8 @ 2 bar
Cleaning Width (mm)	450
Total Tank Capacity (l)	34
Power Source	220-240v AC
Max Machine Power (kW)	1.2
Water Lift (mm)	2470
Cable Length (m)	8.5
Noise Level (Db)A	72.8
Dimensions L x W x H (mm)	410 x 380 x 490
Weight (kg)	11.25



## Reintec CCH10

Heavy Duty Rotary Brush Carpet Cleaner

The CCH10 is a self-contained carpet extractor capable of cleaning in a single pass leaving carpets almost dry. It is ideal for large area carpet cleaning in hotels, offices and healthcare environments.

With a 35 litre solution and recovery capacity, 450mm cleaning width and a floating brush head, productivity is the name of the game - all packaged in a compact, highly manoeuvrable and easy to use unit.

- **Solid and robust design**
- **High pressure jets for even solution delivery**
- **Large 450mm working width**
- **35L solution and 35L recovery tanks**
- **Floating brush head improves performance**

Technical Data	CCH10
Flow Rate (L/m)	6.8
Cleaning Width (mm)	450
Tank Capacity solution/recovery (l)	35 / 35
Power Source	230v AC
Machine Power (kW)	0.18
Vacuum Power (kW)	1.35
Cable Length (m)	15
Brush Motor (kW)	0.30
Brush Speed (rpm)	1800
Noise Level (Db)A	78
Dimensions L x W x H (mm)	930 x 470 x 880
Weight (kg)	47



# ESCALATOR CLEANER



Escalator Cleaner

## Reintec ECP1

Escalator Cleaner

The Reintec ECP1 is an easy to use escalator and travelator cleaner, offering powerful cleaning and vacuum performance ideal for airports, retail stores, hotels, railway stations and shopping centres.

The 1500 watt vacuum motor and 290rpm brush speed ensure fast and effective cleaning whilst a highly portable, yet durable design and quick change disposable vacuum bags ensure superior cleaning performance with minimum operator downtime.

- Automatic brush height adjustment for optimal performance
- Simple controls for ease of use
- Powered rotating brushes for fast and effective cleaning
- Powerful vacuum enables maximum dust pick-up



Technical Data	ECP1
Power Brush Motor (kW)	0.19
Vacuum Motor (kW)	2 x 0.75
Cleaning Brush Speed (rpm)	290
Brush Diameter (mm)	150
Power Source	230v AC
Cable Length (m)	15
Noise Level (Db)A	79
Dimensions L x W x H (mm)	860 x 460 x 230
Weight (kg)	44
Handle Length (mm)	940
Working Width (mm)	460

# SCRUBBER DRYERS



## Reintec SDM340

Multi Surface Scrubber Dryer

The Reintec SDM340 provides high quality cleaning performance in an easy-to-use, durable and versatile package. The SDM340 lifts dirt from virtually any kind of floor surface and offers wall-to-wall cleaning that reaches into the tightest of corners.

The unit can be used on both hard floor and soft floorcoverings as well as travelators, escalators and entrance matting. Simple and intuitive controls for ease of operator use, along with three different cleaning widths and excellent manoeuvrability ensure class-leading cleaning efficiency.

- High speed productivity
- Three cleaning widths
- Excellent for cleaning tile grout
- Massive savings on chemical costs
- Quiet operation
- Durable and flexible



Technical Data	SDM340	SDM340B
Scrubbing Width (mm)	340	340
Suction Width (mm)	340	340
Tank capacity solution/recovery (l)	1.7 / 1.7	1.7 / 1.7
Power Source Mains	230/50Hz	12v Battery
Motor (kW)	0.6	0.6
Brush Speed (rpm)	650	650
Brush Type	2, contra-rotating	2, contra-rotating
Noise Level (Db)A	69	69
Cable Length (m)	12	n/a
Dimensions L x W x H (mm)	378 x 440 x 210 (without handle)	378 x 440 x 210 (without handle)
Operating Weight (kg)	23	27

## Reintec SDP335B

Pedestrian Scrubber Dryer

The Reintec SDP335B is ideal for cleaning small, congested and space-restricted areas of less than 1,000m<sup>2</sup>. Floors are left completely dry meaning daytime or open hour cleaning is possible regardless of the environment.

The unit features two cylindrical brushes perfect for cleaning floor tiles and grout lines and the built-in sweep function eradicates the need for pre-sweeping whilst maintaining class-leading cleaning performance.

- Built-in battery charger unit
- Brilliant manoeuvrability
- Clean without pre-sweeping
- 10L solution and 10L recovery tanks
- Two cylindrical brushes for fantastic cleaning performance
- Great on tiles and grout lines

Technical Data	SDP335B
Scrubbing Width (mm)	335
Suction Width (mm)	525
Surface Performance (m <sup>2</sup> /h)	1010
Tank capacity solution/recovery (l)	10 / 10
Power Source	Battery
Brush Motor (kW)	0.25
Brush Speed (rpm)	450
Suction Motor (kW)	0.25
Noise Level (Db)A	69.3
Dimensions L x W x H (mm)	718 x 460 x 1105
Operating Weight (kg)	69



## Reintec SDP350B

Pedestrian Scrubber Dryer

The Reintec SDP350B is ideal for cleaning small, congested and space-restricted areas of less than 1,000m<sup>2</sup>, delivering vastly improved cleaning and hygiene benefits, plus up to 30% improved operator productivity compared to traditional mop and bucket cleaning.

The unit features a 180° tilt handle bar offering complete flexibility for those hard to reach areas. Simple and intuitive controls for ease of operator use, along with a 20kg brush pressure ensure class-leading cleaning efficiency.

- Low noise level
- Built-in battery charger unit
- Brilliant manoeuvrability
- 20kg brush pressure
- 10L solution and 10L recovery tanks
- Class-leading performance

Technical Data	SDP350B
Scrubbing Width (mm)	350
Suction Width (mm)	350
Surface Performance (m <sup>2</sup> /h)	1050
Tank capacity solution/recovery (l)	10 / 10
Power Source	Battery
Brush Motor (kW)	0.36
Brush Speed (rpm)	140
Suction Motor (kW)	0.25
Noise Level (Db)A	69
Dimensions L x W x H (mm)	682 x 440 x 1018
Operating Weight (kg)	67



## Reintec SDP400B

Pedestrian Scrubber Dryer

The Reintec SDP400B is ideal for cleaning small, congested and space-restricted areas of less than 1,215m<sup>2</sup>, delivering vastly improved cleaning and hygiene benefits, plus up to 30% improved operator productivity compared to traditional mop and bucket cleaning. .

The unit features an easy to operate drop down brush deck so that the unit can be used to scrub and vacuum or just vacuum, fantastic to use for clearing up small spillages during operating hours. Simple and intuitive controls for ease of operator use, along with a 20kg brush pressure ensure class-leading cleaning efficiency.

- Light weight and easy to manoeuvre
- Built-in battery charger unit
- 20L recovery and 22L solutions tanks
- Easy to access waste tanks for cleaning



Technical Data	SDP400B
Scrubbing Width (mm)	410
Suction Width (mm)	450
Surface Performance (m <sup>2</sup> /h)	1215
Tank capacity solution/recovery (l)	22 / 20
Power Source	12V Battery
Brush Pressure (kg)	20
Brush Speed (RPM)	140
Noise Level (Db)A	58
Dimensions L x W x H (mm)	685 x 440 x 945
Operating Weight (kg)	67
Operating Weight (kg)	69

## Reintec SDP430E

Pedestrian Scrubber Dryer

The Reintec SDP430E is the ideal walkbehind unit, for the deep cleaning of medium retail areas delivering superb cleaning performance.

Offering reliability, versatility, flexibility and exceptional productivity the SDP430E provides simple, intuitive controls for ease of operator use and a compact productive cleaning machine ideal for retail, small warehouses and hard surface areas. The SDP430E also has a very easy to change single disc operating deck with foot pedal to lower and raise.

- Low noise level (58dB)
- Compact 430mm working width
- 40L solution and 40L recovery tanks
- 10% Gradient capability



Technical Data	SDP430E
Scrubbing Width (mm)	430
Suction Width (mm)	680
Surface Performance (m <sup>2</sup> /h)	1200
Tank capacity solution/recovery (l)	40 / 40
Power Source	240v
Brush Motor (kW)	0.40
Brush Speed (rpm)	140
Suction Motor (kW)	0.31
Noise Level (Db)A	58
Dimensions L x W x H (mm)	1150 x 1000 x 445
Operating Weight (kg)	155

## Reintec SDP500B

Pedestrian Scrubber Dryer

The Reintec SDP500B is ideal for the maintenance and deep cleaning of medium sized areas. It is a user friendly, highly productive and comfortable to use unit, wrapped in a highly compact design.

With 40 litre tanks the SDP500B will clean up to 2,000 m<sup>2</sup>/h, whilst the built-in battery charger and easy fill/empty water tanks keeps operative downtime to an absolute minimum.

- Low noise level
- Built-in battery charger unit
- 40L solution and 40L recovery tanks
- Class-leading performance



Technical Data	SDP500B
Scrubbing Width (mm)	500
Suction Width (mm)	680
Surface Performance (m <sup>2</sup> /h)	2000
Tank capacity solution/recovery (l)	40 / 40
Power Source	Battery
Brush Motor (kW)	0.56
Brush Speed (rpm)	165
Suction Motor (kW)	0.31
Noise Level (Db)A	<65
Dimensions L x W x H (mm)	1164 x 541 x 984
Operating Weight (kg)	128

## Reintec SDP500BX

Pedestrian Scrubber Dryer

The Reintec SDP500B is ideal for the maintenance and deep cleaning of medium sized areas. It is a user friendly, highly productive and comfortable to use unit, wrapped in a highly compact design.

With 40 litre tanks the SDP500B will clean up to 2,000 m<sup>2</sup>/h, whilst the built-in battery charger and easy fill/empty water tanks keeps operative downtime to an absolute minimum.

- Low noise level
- Built-in battery charger unit
- 40L solution and 40L recovery tanks
- Class-leading performance



Technical Data	SDP500BX
Working width (MM)	500
Squeegee width (MM)	680
Working capacity (m <sup>2</sup> h)	2000
Tank Capacity Solution/Recovery (L)	40/40 L
Power Source	Battery
Brush Motor (KW)	0.56
Brush RPM	165
Suction Motor (KW)	0.31
Brush pressure (Kg)	25
Noise level d B(A)	65
Dimensions (LX WX x H mm)	1164 x 541 x 984
Weight (Kg)	152

## Reintec SDP750B

Pedestrian Scrubber Dryer

The Reintec SDP750B is the ideal walk-behind unit, for the deep cleaning of medium to large areas, delivering superb cleaning performance.

Offering reliability, versatility, flexibility and exceptional productivity the SDP750B provides simple, intuitive controls for ease of operator use and a 30-50kg brush pressure to ensure total cleaning efficiency.

- Low noise level (68dB)
- Built-in battery charger unit
- Huge 760mm working width
- 80L solution and 90L recovery tanks
- External water level indicator

Technical Data	SDP750B
Scrubbing Width (mm)	2 x 375
Suction Width (mm)	1050
Surface Performance (m <sup>2</sup> /h)	3750
Tank capacity solution/recovery (l)	80 / 90
Power Source	Battery
Brush Motor (kW)	0.56
Brush Speed (rpm)	240
Suction Motor (kW)	0.31
Noise Level (Db)A	68
Dimensions L x W x H (mm)	1448 x 890 x 1095
Operating Weight (kg)	290



## Reintec SDR560B

Micro Ride On Scrubber Dryer

The Reintec Micro SDR is a Micro ride-on scrubbing machine with automatic traction drive, available in battery version with one disc brush with 56cm of working width. The standard version features Eco Mode technology that optimises consumption, and an Eco ON/OFF System that automatically stops the brush and the water supply when the machine is not moving.

Thanks to its ultra-compact size, this is the perfect replacement for any traditional walk behind scrubbing machine for cleaning large aisles and retail spaces. It has the ability to easily swap between brushes and pad boards for the cleaning of surfaces of up to 4,500m<sup>2</sup>.

- Low noise level (less than 65dB)
- Built-in battery charger unit
- High Productivity and cleaning visibility
- 70L solution and 70L recovery tanks
- External water level indicator with a very easy to clean waste tank and access to pipe/filters

Technical Data	SDR560B Micro
Surface (m <sup>2</sup> )	2,000-4,500
Working Area (cm)	56
Squeegee Width (cm)	580
Number of Brushes	1
Power Supply	Battery (24 V)
Solution Tank (l)	70
Recovery Tank (l)	70
Dimensions L x W x H (mm)	1265 x 600 x 1030
Operating Weight (kg)	332



## Reintec SDR600B / 850B

Ride On Scrubber Dryers

The Reintec SDR range provides ride-on scrubber dryers with a difference. With the same footprint as walk-behind units they are compact and manoeuvrable, yet still outperform most ride-ons when it comes to productivity.

The SDR600B is so lightweight and compact that it can fit through standard 80cm doorways, supermarket checkouts, and can also be transported between floors in a standard lift. And the SDP850B offers cleaning productivity of up to 5100 m<sup>2</sup>/h.

- **Lightweight, compact design**
- **Built-in battery charger unit**
- **Same footprint as a walk-behind unit**
- **110L solution and 125L recovery tanks**
- **Up to 18% gradient capacity**



Technical Data	SDR600B	SDR850B
Scrubbing Width (mm)	1 x 600	2 x 425
Surface Performance (m <sup>2</sup> /h)	3660	5100
Tank capacity solution/recovery (l)	110 / 125	110 / 125
Power Source	Battery	Battery
Suction Width (mm)	780	1085
Brush Motor (kW)	0.45	0.9
Brush Speed (rpm)	140	170
Suction Motor (kW)	0.31	0.31
Noise Level (Db)A	<65	<65
Dimensions L x W x H (mm)	1495 x 680 x 1320	1495 x 855 x 1320
Operating Weight (kg)	544	544

## Reintec SDR1000B

Ride On Scrubber Dryer

The Reintec SDR range provides ride-on scrubber dryers with a difference. With the same footprint as walk-behind units they are compact and manoeuvrable, yet still outperform most ride-ons when it comes to productivity.

The SDR1000B has a compact body with a wide 100cm twin pad scrub deck to enable quick cleaning of large aisles and retail spaces. It has the ability to easily swap between brushes and pad boards and offers cleaning productivity of up to 6000 m<sup>2</sup>/h.

- **Low noise level (65dB)**
- **Built-in battery charger unit**
- **Huge twin disc 1000mm scrub width**
- **110L solution and 110L recovery tanks**
- **External water level indicator with a very easy to clean waste tank**

Technical Data	SDR1000B
Scrubbing Width (mm)	1000
Suction Width (mm)	1085
Surface Performance (m <sup>2</sup> /h)	6000
Tank capacity solution/recovery (l)	110 / 110
Power Source	24V Battery
Brush Motor (kW)	0.9
Brush Speed (rpm)	170
Suction Motor (kW)	0.31
Noise Level (Db)A	65
Dimensions L x W x H (mm)	1495 x 1010 x 1320
Weight (kg)	554



# SWEEPERS



## Reintec SWP500B

Standard Pedestrian Sweeper

The Reintec SWP500B is a battery powered walk-behind sweeper capable of cleaning large surfaces of up to 1,200m<sup>2</sup> with ease.

Robust, yet ergonomic design allows the operator to use the unit with ease, even when tackling irregular surfaces. Power consumption is significantly reduced due to the intelligent brush, which only rotates when the machine is moving forwards.

- Intelligent brush system conserves battery power
- Simple controls for ease of use
- 5% gradient capacity, perfect for most applications
- Built-in battery charger unit

Technical Data	SWP500B
Brush Motor (kW)	0.78
Central Brush Width (mm)	500
Side Brush Diameter (mm)	380
Max. Working Width (mm)	650
Air Flow Rate (m <sup>3</sup> /h)	2275
Debris Hopper Capacity (l)	40
Power Source	Battery
Max. Gradient (%)	5
Noise Level (Db)A	85
Dimensions L x W x H (mm)	1430 x 660 x 1000
Weight (kg)	95
Panel Filter Type	Washable



## Reintec SWR600B

Ride on Sweeper

The Reintec SDR range provides ride-on scrubber dryers with a difference. With the same footprint as walk-behind units they are compact and manoeuvrable, yet still outperform most ride-ons when it comes to productivity.

The SDR600B is so lightweight and compact that it can fit through standard 80cm doorways, supermarket checkouts, and can also be transported between floors in a standard lift. And the SDP850B offers cleaning productivity of up to 5100 m<sup>2</sup>/h.

- **Lightweight, compact design**
- **Built-in battery charger unit**
- **Same footprint as a walk-behind unit**
- **110L solution and 125L recovery tanks**
- **Up to 18% gradient capacity**

Technical Data	SWR600B
Brush motor (kw)	0.6
Central brush width (mm)	600
Side brush diameter (mm)	400
Maximum working width (mm)	850
Surface performance (m <sup>2</sup> h)	3850
Autonomy (up to) hrs	1/2 Hrs
Debris Hopper Capacity (L)	65
Type of Hopper Lifting	Manual
Panel Filter Type	Washable
Power Source	Battery
Maximum Gradient (%)	up to 15
Noise Level Db(A)	85
Dimensions (L X W X H)(mm)	1250x780x1200
Weight (KG)	210



## Reintec SWR800B / 800P

Ride on Sweeper

The Reintec SWR range allows fast effective cleaning in both a battery and petrol version of large hard surface areas in factories, warehouses and shopping centres.

Sturdy, manoeuvrable and reliable, this unit is particularly suitable for indoor and outdoor environments. The large 70 litre automated hopper coupled with simple, intuitive controls ensures that operator productivity is maximised whilst physical effort is minimised.

- **Suitable for use in narrow, cluttered areas**
- **Simple controls for operator ease**
- **Up to 3,850m<sup>2</sup> productivity**

Technical Data	SWR800B	SWR800P
Work capacity up to m <sup>2</sup> /h	12000	12000
Autonomy up to (hrs)	3-5	unlimited
Working width with central brush (mm)	800	800
Working width with side brush (mm)	950	950
Electric motor (V/W)	24/400	-
Motor (HP)	-	Honda (5,5)
Type of Hopper Lifting	Electrical	Hydraulic
Debris hopper capacity (l)	70	70
Max. Gradient (%)	15%	15%
Noise Level (Db)A	85	85
Dimensions L x W x H (mm)	1600 x 1080 x 1310	1600 x 1080 x 1310
Weight (kg)	422	381
Panel Filter Type	Washable	Washable



# SINGLE DISC MACHINES



## Reintec RPS300

Standard Speed Rotary Scrubber

The Reintec RPS300 is a standard speed rotary polisher suitable for wet/dry scrubbing hard floors and tiles in small confined areas such as Washrooms and Kitchens.

With a 400rpm pad speed and a large 300mm cleaning width, the RPS300 couples productivity with a compact cleaning solution with quiet operation, unparalleled versatility and a user-friendly interface.

- Incredibly durable and hard wearing
- Compact Cleaning head
- 24kg operating pressure
- Low noise level

Technical Data	RPS300
Cleaning Width (mm)	300
Motor Speed (rpm)	170
Surface Performance (m <sup>2</sup> /h)	100
Operating Downforce (kg)	22
Power Source	230v AC
Machine Power (kW)	0.75
Noise Level (Db)A	57
Dimensions L x W x H (mm)	400 x 300 x 1120
Weight (kg)	24
Handle Length (mm)	1000
Handle Adjustment Positions	9



## Reintec RPS450

Standard Speed Rotary Scrubber

The Reintec RPS450 provides excellent mark removal capability and can be used for wet/dry polishing, scrubbing, wooden floor sanding and bonnet mopping of carpets and hard floors. A high operating downforce makes it perfect for areas where scuff marks are a problem.

This easy to use, highly durable unit features a 230rpm motor and a large 450mm disc for exceptional cleaning performance and high productivity.

- Low noise level
- Incredibly durable and hardwearing
- Exceptional mark and stain removal
- 34kg operating downforce
- 230 m<sup>2</sup>/h productivity

Technical Data	RPS450
Cleaning Width (mm)	450
Motor Speed (rpm)	230
Surface Performance (m <sup>2</sup> /h)	230
Operating Downforce (kg)	34
Power Source	230v AC
Machine Power (kW)	1.1
Noise Level (Db)A	60
Dimensions L x W x H (mm)	600 x 450 x 1120
Weight (kg)	38
Handle Length (mm)	1000
Handle Adjustment Positions	9



## Reintec RPH450

High Speed Rotary Polisher

The Reintec RPH450 is a high speed rotary polisher suitable for wet/dry polishing, scrubbing, wooden floor sanding and bonnet mopping of carpets and hard floors.

With a 400rpm pad speed and a large 450mm cleaning width, the RPH450 couples excellent productivity and cleaning performance with quiet operation, unparalleled versatility and a user-friendly interface.

- Incredibly durable and hardwearing
- High speed 400rpm pad speed
- 34kg operating downforce
- 330 m<sup>2</sup>/h productivity
- Low noise level

Technical Data	RPH450
Cleaning Width (mm)	450
Motor Speed (rpm)	400
Surface Performance (m <sup>2</sup> /h)	330
Operating Downforce (kg)	34
Power Source	230v AC
Machine Power (kW)	1.5
Noise Level (Db)A	60
Dimensions L x W x H (mm)	600 x 450 x 1120
Weight (kg)	39
Handle Length (mm)	1000
Handle Adjustment Positions	9



Single Disc Machines

## Reintec RPU450

Ultra High Speed Rotary Polisher

The Reintec RPU450 is an ultra high speed rotary polisher producing 1080rpm to provide excellent spray cleaning and burnishing productivity, as well as a superior polished finish.

This simple to use unit contains a silent passive dust collection system, providing optimum dust pick up without the related noise pollution. The unit also features a fold-over handle and can be tipped onto its rear castors for ease of storage.

- Low noise level (57dB)
- 1080rpm motor speed
- Up to 750 m<sup>2</sup>/h productivity
- Simple 'straight line' operation
- Robust and extremely durable

Technical Data	RPU450
Cleaning Width (mm)	450
Motor Speed (rpm)	1080
Surface Performance (m <sup>2</sup> /h)	750
Operating Downforce (kg)	9
Power Source	230v AC
Machine Power (kW)	1.5
Noise Level (Db)A	57
Dimensions L x W x H (mm)	720 x 475 x 1175
Weight (kg)	37.5
Handle Length (mm)	725
Handle Adjustment Positions	9



## Reintec RPU450B

Ultra High Speed Battery Burnisher

The Reintec RPU450B is an ultra high speed battery burnisher unit producing 1350rpm to provide up to 2.5 hours per charge of exceptional burnishing productivity and a superior polished finish.

This fully floating unit works with the contours of the floor and also contains a silent passive dust collection system providing optimal dust pick up. The RPU450B is purpose-built for cleaning reliability with a robust design and simple to use controls.

- Low noise level (60dB)
- 1350rpm motor speed
- Fully-floating for exceptional cleaning performance
- Easy to use
- Up to 2.5 hours cleaning time

Technical Data	RPU450B
Cleaning Width (mm)	430
Motor Speed (rpm)	1350
Operating Time (hrs)	Up to 2.5
Power Source	Battery
Charging Source	Built-in
Machine Power (kW)	0.85
Noise Level (Db)A	60
Dimensions L x W x H (mm)	700 x 550 x 1200
Weight (kg)	63 (with batteries)
Handle Length (mm)	1070
Handle Adjustment Positions	9



# CONSUMABLES

As well as helping you to manage and maintain your cleaning equipment, Reintec provides a comprehensive range of associated cleaning accessories and consumables. Available through our integrated online portal, [hssoutsources.com](http://hssoutsources.com), Reintec have got all of your cleaning needs covered.

## Chemicals

- Floor Polish and Strippers
- Floor Maintainers and Cleaners
- Carpet Care
- Hard Surface
- Lotions and Soaps
- Floors and Surfaces
- Washing Up Liquid
- Machine Dish and Glass Cleaning
- Specialised Cleaning
- Surface Cleaners
- Aircare
- Toilet & Urinal

## Janitorial

- Dispensers
- Floorpads
- Mopping
- Squeegees
- Sweeping
- Cloths
- Scourers
- Dusters
- Waste Disposal
- PPE and Safety
- Window Cleaning
- General Hardware
- Vacuum Bags

## Paper

- Toilet Rolls
- Jumbo and Mini Jumbo
- Centrefeed Rolls
- Paper Towels

## Brushes & Pads

- Twister Floor Pads



Countryside Coverage – Local Service



**HANDCARE**



**FLOORCARE**



**WASHROOM**



**HOUSEKEEPING**



**CATERING**



**HARD SURFACE**



**LAUNDRY**

reintec  
cleaning equipment services  
PART OF **HSS Hire**

## EQUIPMENT MAINTENANCE SOLUTIONS WITH REINTEC

Reintec provide nationwide equipment maintenance, servicing and repairs to a wide range of makes, and models of cleaning equipment. We offer multiple levels of equipment maintenance cover so you can select the best solution for your business, and even if you need something special we will work alongside you to create a specially tailored plan.

Our dedicated team of expert technicians are located throughout the UK, so no matter where you're working or what make or model your equipment is, they can service and maintain your fleet to keep you cleaning.

To discuss your maintenance requirements, call us on 08456 02 81 71 or visit [reintec.com](http://reintec.com)

**Reintec, keeping you cleaning.**



# COUNTRYWIDE COVERAGE, LOCAL SERVICE



Countrywide Coverage – Local Service

With technical engineers and offices throughout the UK and Ireland, Reintec provide local service on a nationwide scale.

# reintec

cleaning equipment services

PART OF **HSS Hire**

Call

08456 02 82 71

To speak with one of the team  
or for more information about  
Reintec Cleaning Equipment Services

Visit us online at  
[reintec.com](http://reintec.com)